


GAS~FLO® Domestic Regulators

FIRST, SECOND AND 2-STAGE LP-GAS REGULATORS

PATENT PENDING
360° ROTATABLE VENT
WITH STOP & LOCK



6.50" Approximate length



1 REGULATOR REPLACES UP
TO 4 IN YOUR INVENTORY

Game Changing Design Features:

- Simpler. The Gas~Flo 360 replaces multiple regulators.
- Safer. Lockable orientation prevents tampering.
- Smarter. Bonnet rotates a full 360° to allow for ANY vent orientation.

Better Designed:

- A redesigned diaphragm that delivers higher BTU's, even at lower temperatures.
- Superior cold weather performance that out flows the competition*.
- Enhanced inlet filter and new ergonomic pressure adjustment movement.
- 10 Year Warranty.

*Gas~Flo 360 outperformed three competitor models during in-house, extreme cold testing.



Ask about our complete line of
pigtails and accessories.


GAS~FLO®
by Fairview

Simple | Safe | Smart®

Fairview

www.fairview.inc

GAS~FLO® Domestic Regulators Crossover

Fairview New Part No.	Outlet Pressure Setting	Inlet Connection (IN)	Outlet Connection (IN)	Replaces Fairview Part No.	Replaces Fisher Part No.	Replaces Rego Part No.	Replaces Cavagna Part No.	Replaces MEC Part No.
--------------------------	-------------------------------	-----------------------------	------------------------------	----------------------------------	--------------------------------	------------------------------	---------------------------------	-----------------------------

COMPACT HIGH PRESSURE LP GAS FIRST-STAGE REGULATORS

GR-918CRC	10 psi	FPOL	1/2 FPT	GR-918C	R22H-HGJ R622H-HGJ	LV4403TR9	988HP-05	MEGR-1222H-BGF MEGR-1622H-HGJ
GR-9148CRC	10 psi	1/4 FPT	1/2 FPT	GR-9148C	R122H-AAJ	LV3403TR	984HP-04	MEGR-1122H-AAJ
GR-91812CRC	10 psi	1/2 FPT	3/4 FPT	GR-91812C	R222H-BGJ R622H-BGJ	LV4403TR4	988HP-04	MEGR-1622H-BGJ
GR-9188CRC	10 psi	1/2 FPT	1/2 FPT	GR-9188C	N/A	N/A	N/A	N/A
GR-9112CRC	10 psi	FPOL	3/4 FPT	GR-9112C	R222H-JGJ R622H-JGJ	LV4403TR96	988HP-06	MEGR-1622H-JGJ
GR-911212CRC	10 psi	3/4 FPT	3/4 FPT	GR-911212C	R222H-DGJ R622H-DGJ	N/A	988HP-01	MEGR-1622H-DGJ

COMPACT LOW PRESSURE LP GAS SECOND-STAGE REGULATORS

GR-9288CRC	11" wc	1/2FPT	1/2 FPT	GR-9288C	R222-BAF R622-BCF	LV3403B4 LV4403B4	998LP-22	MEGR-1222BAF MEGR-1622-BDF
GR-92812CRC	11" wc	1/2FPT	3/4FPT	GR-92812C	R622-CFF	LV4403B46	998LP-01	MEGR-1622-CFF
GR-921212CRC	11" wc	3/4FPT	3/4 FPT	GR-921212C	R622-DFF	LV4403B466	998LP-02	MEGR-1622-DFF

COMPACT LP GAS TWO-STAGE REGULATORS

GR-958CRC	11" wc	1/4 FPT	1/2 FPT	GR-948C GR-968C	R232A-BBF R632A-BCF R232A-BBFXA R632A-BCFXA	LV404B34 LV404B4 LV404B34V9 LV404B46V9	988TW-16 988TW-15	MEGR 1232-BBF MEGR-1632-BCF MEGR-1232-BBFXA MEGR-1632-BCF
GR-9512CRC	11" wc	1/4 FPT	3/4 FPT	GR-9412C GR-9612C	R632A-CFF R632A-CFFXA	LV404B46	998TW-11 998TW-12	MEGR-1632-CFF MEGR-1632-CFFXA

COMPACT SECOND-STAGE LOW PRESSURE 2PSI LP GAS REGULATORS

GR-9388CRC	2 psi	1/2 FPT	1/2 FPT	GR-9388C	R622E-BCH	LV4403Y4	998TP-08	MEGR-1622E-BCH
GR-931212CRC	2 psi	3/4 FPT	3/4 FPT	GR-931212C	R622E-DCH	LV5503Y6	998TP-06	MEGR-1622E-DCH

COMPACT TWO-STAGE 2PSI LP GAS REGULATORS

GR-95248CRC	2 psi	1/4 FPT	1/2 FPT	GR-96248C GR-94248C	R232E-BBH R632E-BCH R232E-BBHXA R632E-BCHXA	N/A	N/A	MEGR-1232E-BBH MEGR-1632E-BCH MEGR1232E-BBHXA MEGR1632-BCHXA
--------------------	-------	---------	---------	------------------------	--	-----	-----	---

GAS~FLO® Domestic Regulators

COMPACT HIGH PRESSURE LP GAS FIRST-STAGE REGULATORS

GAS~FLO® Compact First-Stage regulators are designed for use as the first regulator of a Two-Stage regulation system. Its compact design makes it the ideal choice for tank collar installations. This large capacity adjustable First-Stage regulator is factory set at 10 PSIG. Equipped with integral relief valve and built-in 1/8" FNPT gauge taps.

PART No.	Capacity * (BTU/Hr) Propane	Inlet Connection	Outlet Connection	Set Delivery Pressure	Outlet Adjustment Range	Bonnet Vent
GR-918CRC	2,400,000	FPOL	1/2 FPT	10 PSI	8-12 PSI	Rotatable
GR-9148CRC		1/4 FPT	1/2 FPT	10 PSI	8-12 PSI	
GR-9188CRC		1/2 FPT	1/2 FPT	10 PSI	8-12 PSI	
GR-91812CRC		1/2 FPT	3/4 FPT	10 PSI	8-12 PSI	
GR-9112CRC		FPOL	3/4 FPT	10 PSI	8-12 PSI	
GR-911212CRC		3/4 FPT	3/4 FPT	10 PSI	8-12 PSI	
GRB-100B	Universal Bowtie Syle Mounting Bracket					
GRB-100T	Universal Triangular Syle Mounting Bracket					

* Flow capacity based on inlet pressure 20 psi higher than the regulator setting and delivery pressure 20% lower than the setting.



GAS~FLO® Bow tie Style
Universal Mounting Bracket



GRB-100B

GAS~FLO® Triangular Style
Universal Mounting Bracket



GRB-100T

GAS~FLO® Domestic Regulators

COMPACT LOW PRESSURE LP GAS SECOND-STAGE REGULATORS

GAS~FLO® Compact Second-Stage regulators are designed to reduce the pressure from a First-Stage regulator. Its compact design makes it the ideal choice for limited space domestic applications. These adjustable regulators are factory set at 11" w.c. with first stage inlet pressure of 10 psig. Equipped with integral relief valve and built-in 1/8" FNPT gauge taps.

PART No.	Capacity * (BTU/Hr) Propane	Inlet Connection	Outlet Connection	Set Delivery Pressure	Outlet Adjustment Range	Bonnet Vent
GR-9288CRC	1,200,000	1/2 FPT	1/2 FPT	11" WC	9-13" WC	Rotatable
GR-92812CRC		1/2 FPT	3/4 FPT	11" WC	9-13" WC	
GR-921212CRC		3/4 FPT	3/4 FPT	11" WC	9-13" WC	
GRB-100B	Universal Bowtie Syle Mounting Bracket					
GRB-100T	Universal Trianqular Syle Mounting Bracket					

* Flow capacity based on 10 psi inlet pressure and delivery pressure 20% lower than the setting.



GAS~FLO® Bow tie Style
Universal Mounting Bracket



GRB-100B

GAS~FLO® Triangular Style
Universal Mounting Bracket



GRB-100T

GAS~FLO® Domestic Regulators

COMPACT LP GAS TWO-STAGE REGULATORS

GAS~FLO® Compact Regulator combines First and Second-Stage regulators into a single unit. Designed to reduce container pressure down to 11" w.c. delivery pressure. Its compact design makes it the ideal choice for domestic applications. Equipped with 1/8" FNPT gauge taps on inlet and outlet for easy system pressure checks.

PART No.	Capacity * (BTU/Hr) Propane	Inlet Connection	Outlet Connection	Set Delivery Pressure	Outlet Adjustment Range	Bonnet Vent
GR-958CRC	1,000,000	1/4 FPT	1/2 FPT	11" WC	9-13" WC	Rotatable
GR-958CRC-2412		GR-958CRC Regulator Kit c/w 12" POL x 1/4" Copper Pigtail				
GR-9512CRC		1/4 FPT	3/4 FPT	11" WC	9-13" WC	
GR-9512CRC-2412		GR-9512CRC Regulator Kit c/w 12" POL x 1/4" Copper Pigtail				
GRB-100B	Universal Bowtie Syle Mounting Bracket					
GRB-100T	Universal Tianqular Syle Mounting Bracket					

* Flow capacity based on 25 psi inlet pressure and delivery pressure 20% lower than the setting.



GAS~FLO® Bow tie Style
Universal Mounting Bracket



GRB-100B

GAS~FLO® Triangular Style
Universal Mounting Bracket



GRB-100T

GAS~FLO® Domestic Regulators

COMPACT SECOND STAGE LOW PRESSURE 2PSI LP GAS REGULATORS

GAS~FLO® low pressure GR-93 Series Second-Stage 2 PSI service regulators are designed to reduce the pressure from a First-Stage regulator down to 2 PSIG.

PART No.	Capacity * (BTU/Hr) Propane	Inlet Connection	Outlet Connection	Set Delivery Pressure	Outlet Adjustment Range	Bonnet Vent
GR-9388CRC	1,350,000	1/2 FPT	1/2 FPT	2 PSI	1-2.2 PSI	Rotatable
GR-931212CRC		3/4 FPT	3/4 FPT	2 PSI	1-2.2 PSI	
GRB-100B	Universal Bowtie Syle Mounting Bracket					
GRB-100T	Universal Trianqular Syle Mounting Bracket					

* Flow capacity based on 10 psi inlet pressure and delivery pressure 20% lower than the setting.



GAS~FLO® Bow tie Style
Universal Mounting Bracket



GRB-100B

GAS~FLO® Triangular Style
Universal Mounting Bracket



GRB-100T

GAS~FLO® Domestic Regulators

COMPACT TWO-STAGE 2 PSI LP GAS REGULATORS

GAS~FLO® low pressure GR-95 Series, integral Two-Stage 2 PSI service regulators are designed to reduce the pressure from container pressure down to 2 PSIG.

PART No.	Capacity * (BTU/Hr) Propane	Inlet Connection	Outlet Connection	Set Delivery Pressure	Outlet Adjustment Range	Bonnet Vent
GR-95248CRC	1,000,000	1/4 FPT	1/2 FPT	2 PSI	1-2.2 PSI	Rotatable
GRB-100B	Universal Bowtie Syle Mounting Bracket					
GRB-100T	Universal Triangular Syle Mounting Bracket					

* Flow capacity based on 25 psi inlet pressure and delivery pressure 20% lower than the setting.



GAS~FLO® Bow tie Style
Universal Mounting Bracket



GRB-100B

GAS~FLO® Triangular Style
Universal Mounting Bracket



GRB-100T

Fairview

www.fairview.inc



Fairview Ltd.

Head Office: 1170 Invicta Drive, Unit C
Oakville, Ontario L6H 6G1
Telephone: (905) 338-0800
E-Mail: service@fairviewfittings.com



Fairview USA Inc.

Head Office: 3777 Commerce Court,
Wheatfield, New York 14120 U.S.A.
Telephone: (716) 614-0320
CONTINENTAL USA: (800) 688-4088
E-Mail: ussales@fairviewfittings.com

Warehouse Sales Locations

Canada

• 145 ENGLISH DRIVE, UNIT 4
MONCTON, NEW BRUNSWICK E1E 3X3
PHONE: (506) 857-1115
EMAIL: sales@moncton.fairviewfittings.com

• 2955 RUE LUCIEN-L'ALLIER
LAVAL, QUEBEC H7P 0A1
PHONE: (450) 978-3341
EMAIL: sales@montreal.fairviewfittings.com

• 6100 KESTREL ROAD UNIT 1
MISSISSAUGA, ONTARIO L5T 1S8
PHONE: (905) 564-7416
EMAIL: torontosales@fairviewfittings.com

• 10 - 19 RONN ROAD
CENTREPORT, MANITOBA R4B 0A3
PHONE: (204) 633-9304
EMAIL: sales@winnipeg.fairviewfittings.com

• 130-3810 ARTHUR ROSE AVENUE
SASKATOON, SASKATCHEWAN S7P 0C7
PHONE: (306) 978-1800
EMAIL: sales@saskatoon.fairviewfittings.com

• 18121 - 111 AVENUE N.W.
EDMONTON, ALBERTA T5S 2P2
PHONE: (780) 438-2177
EMAIL: sales@edmonton.fairviewfittings.com

• 11 BURBIDGE STREET, UNIT 201
COQUITLAM, B.C. V3K 7B2
PHONE: (604) 294-4427
EMAIL: vancouver@fairviewfittings.com

• EXPORT SALES
MISSISSAUGA, ONTARIO L5T 1S8
PHONE: (905) 564-7416
EMAIL: torontosales@fairviewfittings.com

USA

• 3777 COMMERCE COURT
WHEATFIELD, NEW YORK 14120
PHONE: (716) 614-0320
CONTINENTAL U.S.A.: (800) 688-4088

• 3412 COUNTY RD. 6 E, UNIT 2
ELKHART, IN 46514
PHONE: (574) 206-8884
CONTINENTAL U.S.A.: (877) 459-0700



GAS-FLO® is a registered trademark of Fairview Ltd.